



National Fire Equipment Ltd.

PHD Manufacturing, Inc. – Sprinkler Cross Reference

Fig. 070

CPVC TWO-HOLE PIPE STRAP



Pipe Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/4	Finish: Pre-galvanized	108	23	510	NA	186
1	Material: Low carbon steel					
1 1/4	Ordering: Specify pipe size and figure #					
1 1/2						
2						

Fig. 075


CPVC ONE-HOLE WRAP AROUND



Pipe Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/4	Finish: Pre-galvanized	107	22	513	NA	185
1	Material: Low carbon steel					
1 1/4	Ordering: Specify pipe size and figure #					
1 1/2						
2						

Fig. 076

CPVC TWO-HOLE STAND OFF STRAP



Pipe Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/4	Finish: Pre-galvanized	SO	28M	514	NA	188
1	Material: Low carbon steel					
1 1/4	Ordering: Specify pipe size and figure #					
1 1/2						
2						

Fig. 077

CPVC TWO-HOLE SIDE MOUNT STRAP



Pipe Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/4	Finish: Pre-galvanized	109	24	511	NA	187
1	Material: Low carbon steel					
1 1/4	Ordering: Specify pipe size and figure #					
1 1/2						
2						



National Fire
Equipment Ltd.

TORONTO: (905) 761-6355

Toll Free: (800) 267-8508

OTTAWA: (613) 723-6071

VANCOUVER: (604) 420-1131

Toll Free: (800)-667-2138

BURNABY: (604)-299-4498

EDMONTON: (780) 455-3870

Toll Free: (888)-891-1008

CALGARY: (403) 236-5661


MONCTON: (506) 859-7277

Toll Free: (877) 816-3473

MISSISSAUGA: (905) 565-1385

www.nationalfire.com

Fig. 055
SURGE RESTRAINT



Pipe Size	Regularly Furnished		ERICO	TOLCO	AFCON	TAYLOR	ANVIL
3/4 - 2	Finish:	Powder coating	LHSR6	25	310	NA	N/A
	Material:	Spring steel					
	Ordering:	Specify figure #					

Fig. 10
THREADED STUDS



Rod Size	Regularly Furnished		ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8	Finish:	Plain	51	99	655	NA	146
	Material:	Low carbon steel					
	Ordering:	Specify rod size, length and figure #					
1/2	Std.						
5/8	Packaging: 100 for all sizes						
	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request.						

Fig. 15
MACHINE THREAD
HANGER ROD



Rod Size	Regularly Furnished		ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8	Finish:	Plain	N/A	103	660	N/A	140
	Material:	Low carbon steel					
	Ordering:	Specify rod size, length and figure #					
1/2	Std.						
5/8	Packaging: Bulk						
3/4	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request.						
7/8							
1							

Fig. 37
STEEL EYE SOCKET



Rod Size	Regularly Furnished		ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8	Finish:	Electro-galvanized	37 / 38	N/A	535	NA	N/A
	Material:	Low carbon steel					
	Ordering:	Specify rod size and figure #					
1/2							



Fig. 40
COACH SCREW ROD




Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8	Finish: Plain or Electro-galvanized	41	105	920	60WZ	142
1/2	Material: Low carbon steel					
	Ordering: Specify rod size, length, finish and figure #					

Fig. 45
LAG SCREW



Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
1/4	Finish: Plain	42	126	910	NA	N/A
3/8	Material: Low carbon steel					
1/2	Ordering: Specify rod size, length and figure #					
5/8						

Fig. 47S
STEEL DROP-IN



Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8	Finish: Electro-galvanized	345R	N/A	N/A	NA	N/A
1/2	Material: Low carbon steel					
5/8	Ordering: Specify rod size and figure #					

Fig. 48
WOOD DRIVE
SCREWS



Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
12 X 1-1/2	Finish: Electro-galvanized	43	125	900	59	N/A
12 X 2	Material: Low carbon steel					
14 X 1-1/2	Ordering: Specify size, finish and figure #					
14 X 2						
16 X 2						

Fig. 50
EYE ROD



Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8	Finish: Plain	40	102	680	N/A	248
1/2	Material: Low carbon steel					
	Ordering: Specify rod size, length and figure #					
	Std. Packaging: 100 for all sizes					
	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request.					



National Fire
Equipment Ltd.

TORONTO: (905) 761-6355
Toll Free: (800) 267-8508
OTTAWA: (613) 723-6071

VANCOUVER: (604) 420-1131
Toll Free: (800)-667-2138
BURNABY: (604)-299-4498

EDMONTON: (780) 455-3870
Toll Free: (888)-891-1008
CALGARY: (403) 236-5661

MONCTON: (506) 859-7277
Toll Free: (877) 816-3473
MISSISSAUGA: (905) 565-1385

www.nationalfire.com

Fig. 60
J-BEAM BOLT




Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8	Finish: Plain	85	104	230	N/A	N/A
1/2	Material: Low carbon steel					
	Ordering: Specify rod size, length and figure #					
	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request.					

Fig. 90
U-BOLT



Pipe Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
1/2	Finish: Plain	150M	110	240	14	137
3/4	Material: Low carbon steel					
1	Ordering: Specify pipe size, and figure #					
1-1/4	Std.					
1-1/2	Packaging: 100 for all sizes					
2	Note: Special U-Bolts available upon request (P.O.A.)					
2-1/2	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request.					
3						
3-1/2						
4						
5						
6						
8						
10						
12						

Fig. 95
LIGHT DUTY U-BOLT



Pipe Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
1/2	Finish: Plain	N/A	111	241	N/A	120
3/4	Material: Low carbon steel					
1	Ordering: Specify pipe size and figure #					
1-1/4						
1-1/2						
2	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request.					
2-1/2						
3						
3-1/2						
4						
5						
6						
8						
10						



Fig. 100
STANDARD ROD
COUPLING



Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
1/4	Finish: Plain or Electro-galvanized	25	70	930	62	135E
3/8	Material: Low carbon steel					
1/2	Ordering: Specify rod size, finish and figure #					
5/8						
3/4						

Fig. 104
SHORT PATTERN
ROD COUPLING



Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
1/4	Finish: Plain or Electro-galvanized	25S	70S	N/A	N/A	N/A
3/8	Material: Low carbon steel					
1/2	Ordering: Specify rod size, finish and figure #					
5/8						
3/4						

Fig. 105
REDUCING ROD
COUPLING



Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
1/4	Finish: Plain or Electro-galvanized	25R	70R	933	N/A	135R
3/8	Material: Low carbon steel					
1/2	Ordering: Specify rod size, finish and figure #					
5/8						
3/4						



Fig. 110
HEX NUT



Fig. 110H
HEAVY HEX NUT



Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
1/4	Finish: Plain or electro-galvanized	10	113	950	15Z	AS83
3/8	Material: Low carbon steel					
1/2	Ordering: Specify rod size, finish and figure #					
5/8						
3/4						
	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request.	10H	114	955	N/A	N/A
Rod Size						
3/8						
1/2						
5/8						
3/4						

Fig. 141
NFPA SWIVEL
RING HANGER



New "Wingsert"™ Captive Insert Design

Pipe Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
1/2	Finish: Fig. 141 Pre-galvanized	115	200	300	41	69
3/4	Material: Low carbon steel					
1	Ordering: Specify pipe size and figure #					
1-1/4						
1-1/2						
2						
2-1/2						
3						
3-1/2						
4						
5						
6						
8						

Fig. 151
SWIVEL
RING HANGER



Pipe Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
2-1/2	Finish: Fig. 151 Pre-galvanized	100	2	N/A	N/A	N/A
3	Material: Low carbon steel					
3-1/2	Ordering: Specify pipe size and figure #					
4	Note: For sizes 1/2" – 2" see Fig. 141					
5						
6						
8						

Fig. 152
COPPER TUBING
SWIVEL RING



Tube Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
1/2	Finish: Fig. 152 Copper finish	101	202	N/A	42	CT69
3/4	Material: Low carbon steel					
1	Ordering: Specify tube size and figure #					
1-1/4						
1-1/2						
2						
2-1/2						
3						
3-1/2						
4						
5						
6						

Fig. 250
STEEL C-CLAMP



Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8	Finish: Plain or electro-galvanized	200	64	N/A	201	95
1/2	Material: Low carbon steel					
5/8	Ordering: Specify rod size, finish and figure #					
3/4	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request.					

Fig. 259
RETAINING STRAP



Type	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
1	Finish: Plain	255C	N/A	N/A	N/A	89
2	Material: Low carbon steel					
	Ordering: Specify type # length and figure #					
	Note: Use with Fig 250 & Fig 270					
	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request.					

Fig. 290
PURLIN CLAMP



Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8	Finish: Plain	315	N/A	N/A	404	N/A
	Material: Malleable Iron					
	Ordering: Specify figure #					



Fig. 350
IMPORT
MALLEABLE IRON
BEAM CLAMP



Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8	Finish: Plain or electro-galvanized	300	65	100	406	92
1/2	Material: Malleable iron					
5/8	Ordering: Specify rod size, finish and figure #					
3/4						
7/8						

Fig. 353 & 354
DOMESTIC
MALLEABLE IRON
BEAM CLAMP



Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8	Finish: Plain or Electro-galvanized	300	65	100	N/A	92
1/2	Material: Malleable iron					
5/8	Ordering: Specify rod size, finish and figure #					
3/4						
7/8						

Fig. 359
RETAINING STRAP



Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8 & 1/2	Finish: EG	300C	69	160	416	89X
5/8	Material: Low carbon steel					
3/4	Ordering: Specify rod size, length and figure #					
	Note: Use with Fig 350 & Fig 360					
	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request.					



National Fire
Equipment Ltd.

TORONTO: (905) 761-6355
Toll Free: (800) 267-8508
OTTAWA: (613) 723-6071

VANCOUVER: (604) 420-1131
Toll Free: (800)-667-2138
BURNABY: (604)-299-4498

EDMONTON: (780) 455-3870
Toll Free: (888)-891-1008
CALGARY: (403) 236-5661

MONCTON: (506) 859-7277
Toll Free: (877) 816-3473
MISSISSAUGA: (905) 565-1385

www.nationalfire.com

Fig. 360
IMPORT
WIDE MOUTH
BEAM CLAMP




Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8	Finish: Plain or Electro-galvanized	310	68	105	407	94
1/2	Material: Malleable iron					
5/8	Ordering: Specify rod size, finish and figure #					
3/4						

Fig. 363 & 364
DOMESTIC
WIDE MOUTH
BEAM CLAMP



Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8	Finish: Plain or electro-galvanized	310	68	105	N/A	94
1/2	Material: Malleable iron					
	Ordering: Specify rod size, finish and figure #					


Fig. 440 & 441
LIGHT DUTY
CLEVIS HANGER



Pipe Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
1/2	Finish: Fig. 440 Plain	410	1LD	370	22Z	65
3/4	Fig. 441 Electro-galvanized					
1	Material: Low carbon steel					
1-1/4	Ordering: Specify pipe size and figure #					
1-1/2						
2						
2-1/2						
3						
3-1/2						
4						



Fig. 450 & 451
STANDARD
CLEVIS HANGER




Pipe Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
1/2	Finish: Fig. 450 Plain	401	1	371	24Z	260
3/4	Fig. 451 Electro-galvanized					
1	Material: Low carbon steel					
1-1/4	Ordering: Specify pipe size and figure #					
1-1/2						
2						
2-1/2						
3						
3-1/2						
4						
5						
6						
8						
10						
12						

Fig. 508R
HINGED EXTENSION



Pipe Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8	Finish: Plain or electro -	455	303	350	38R	138R
1/2	Material: galvanized					
3/4	Ordering: Malleable iron					
1	Note: Specify pipe size, finish, and figure #					
1-1/4						
1-1/2						
2						
2-1/2						
3						
4						

Fig. 510R
BOLT EXTENSION
SPLIT CLAMP



Pipe Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8	Finish: Plain or electro -	N/A	N/A	N/A	N/A	N/A
1/2	Material: galvanized					
3/4	Ordering: Malleable iron					
1	Note: Specify pipe size, finish, and figure #					
1-1/4						
1-1/2						
2						
2-1/2						
3						
4						



National Fire
Equipment Ltd.

TORONTO: (905) 761-6355
Toll Free: (800) 267-8508
OTTAWA: (613) 723-6071


VANCOUVER: (604) 420-1131
Toll Free: (800)-667-2138
BURNABY: (604)-299-4498

EDMONTON: (780) 455-3870
Toll Free: (888)-891-1008
CALGARY: (403) 236-5661

MONCTON: (506) 859-7277
Toll Free: (877) 816-3473
MISSISSAUGA: (905) 565-1385


www.nationalfire.com

Fig. 520 & 521
STANDARD PIPE
CLAMP




Pipe Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
1/2	Finish: Fig. 520 Plain	450	4	415	31Z	212
3/4	Fig. 521 Electro-galvanized					
1	Material: Low carbon steel					
1-1/4	Ordering: Specify pipe size and figure #					
1-1/2						
2						
2-1/2						
3	*Available in stainless steel.					
3-1/2	To order, specify 304 or 316					
4	and add suffix SS to figure					
5	number. Price on request.					
6						
8						
10						
12						

Fig. 550 & 551
RISER CLAMP



Pipe Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
1/2	Finish: Fig. 550 Plain	510	6	400	82	261
3/4	Fig. 551 Electro-galvanized				82Z	
1	Fig. 553 Plain with PVC coating					
1-1/4	Material: Low carbon steel					
1-1/2	Ordering: Specify pipe size and figure #					
2						
2-1/2						
3	*Available in stainless steel.					
3-1/2	To order, specify 304 or 316					
4	and add suffix SS to figure					
5	number. Price on request.					
6						
8						
10						
12						

Fig. 597
CORPORATION EYE
BOLT



Bolt Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/4	Finish: Plain	N/A	N/A	N/A	37	N/A
	Material: Malleable Iron					
	Ordering: Specify figure #					



National Fire
Equipment Ltd.

TORONTO: (905) 761-6355
Toll Free: (800) 267-8508

OTTAWA: (613) 723-6071

VANCOUVER: (604) 420-1131
Toll Free: (800)-667-2138

BURNABY: (604)-299-4498

EDMONTON: (780) 455-3870
Toll Free: (888)-891-1008


CALGARY: (403) 236-5661

MONCTON: (506) 859-7277
Toll Free: (877) 816-3473

MISSISSAUGA: (905) 565-1385


www.nationalfire.com

Fig. 610
STANDARD DUTY
CENTER LOAD
BEAM CLAMP



Type No. X Flange Width	Regularly Furnished Finish: Plain Material: Low carbon steel Ordering: Specify type no., flange width, and figure #	ERICO 361	TOLCO 62	AFCON 150	Taylor 425	ANVIL 133
1 X 2	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request.					
1 X 3						
1 X 4						
1 X 5						
1 X 6						
1 X 7						
1 X 8						
2 X 2						
2 X 3						
2 X 4						
2 X 5						
2 X 6						
2 X 7						
2 X 8						
3 X 2						
3 X 3						
3 X 4						
3 X 5						
3 X 6						
3 X 7						
3 X 8						

Fig. 850 & 850C
LIGHT DUTY
WALL BRACKET



850 Bracket		ERICO	TOLCO	AFCON	Taylor	ANVIL
Type No.	Regularly Furnished	351	30L	770	N/A	194
1	Finish: Plain					
2	Material: Low carbon steel					
3	Ordering: Specify type no. and figure #					
	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request.					
850C Bracket Clip						
Rod Size	Regularly Furnished	350	N/A	N/A	N/A	N/A
3/8	Finish: Plain					
1/2	Material: Low carbon steel					
	Ordering: Specify rod size and figure #					
	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request.					



National Fire
Equipment Ltd.

TORONTO: (905) 761-6355
Toll Free: (800) 267-8508
OTTAWA: (613) 723-6071

VANCOUVER: (604) 420-1131
Toll Free: (800)-667-2138
BURNABY: (604)-299-4498
www.nationalfire.com

EDMONTON: (780) 455-3870
Toll Free: (888)-891-1008
CALGARY: (403) 236-5661

MONCTON: (506) 859-7277
Toll Free: (877) 816-3473
MISSISSAUGA: (905) 565-1385

Fig. 855
MEDIUM DUTY
WALL BRACKET



Type No.	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
0	Finish: Electro-galvanized	352	30M	N/A	N/A	195
1	Material: Low carbon steel					
2	Ordering: Specify type no. and figure #					
	Std. Packaging: Bulk					
	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request.					

Fig. 874
PIPE SADDLE
SUPPORT WITH
STUD



Pipe Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
2	Finish: Plain	N/A	312	707	N/A	192
3	Material: Low carbon steel					
4	Ordering: Specify pipe size and figure #					
5	Std. Packaging: Bulk					
6	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request.					
8						
10						
12						

Fig. 906
STEEL SIDE
BEAM CONNECTOR



Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8	Finish: Plain	N/A	56	552	N/A	207
	Material: Low carbon steel					
	Ordering: Specify figure #					

Fig. 910
REVERSIBLE
ANGLE BRACKET



Size No.	Regularly Furnished	ERICO	TOLCO	AFCON	GLOBE	ANVIL
1	Finish: Plain	N/A	42	580	N/A	N/A
2	Material: Low carbon steel					
3	Ordering: Specify size no. and figure #					
4	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request.					



National Fire
Equipment Ltd.

TORONTO: (905) 761-6355
Toll Free: (800) 267-8508

OTTAWA: (613) 723-6071

VANCOUVER: (604) 420-1131
Toll Free: (800)-667-2138

BURNABY: (604)-299-4498

EDMONTON: (780) 455-3870
Toll Free: (888)-891-1008

CALGARY: (403) 236-5661

MONCTON: (506) 859-7277
Toll Free: (877) 816-3473

MISSISSAUGA: (905) 565-1385


www.nationalfire.com

Fig. 925
REVERSIBLE SIDE
BEAM ANGLE
BRACKET



Rod Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8 or 1/2	Finish: Plain or electro-galvanized Material: Low carbon steel Ordering: Specify finish and figure #	326	52	565	120	N/A

Fig. 940
CEILING FLANGE



Thread Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3/8 Bolt	Finish: Fig. 940 Plain Fig. 941 Electro-galvanized Fig. 942 Copper	365M	78	611	28R	128R
1/2 Bolt	Material: Malleable iron Ordering: Specify thread size and figure #					

Fig. 1001-1042
1-5/8" X 1-5/8" X 12Ga.
CHANNEL




Figure Number		Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
10 ft.	20 ft.	Material: Low carbon steel	A12	N/A	N/A	TS4	AS200
1001	1002	Ordering: Specify figure number, finish and number of feet					
1001A	1002A						
1011	1012	Available in aluminum and stainless steel. Price on request.					
1011A	1012A						
1021	1022	To order aluminum add suffix AL to figure number.					
1021A	1022A						
1031	1032	To order stainless steel specify 304 or 316 and add suffix SS to figure number.					
1041	1042						

Fig. 1501-1542
1-5/8" X 3-1/4" X 12Ga.
CHANNEL




Figure Number		Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
10 ft.	20 ft.	Material: Low carbon steel	E12	N/A	N/A	N/A	AS100
1501	1502	Ordering: Specify figure number, finish and number of feet					
1501A	1502A						
1511	1512	Available in aluminum and stainless steel. Price on request.					
1511A	1512A						
1521	1522	To order aluminum add suffix AL to figure number.					
1521A	1522A						
1531	1532	To order stainless steel specify 304 or 316 and add suffix SS to figure number.					
1541	1542						



National Fire
Equipment Ltd.

TORONTO: (905) 761-6355
Toll Free: (800) 267-8508
OTTAWA: (613) 723-6071

VANCOUVER: (604) 420-1131
Toll Free: (800)-667-2138
BURNABY: (604)-299-4498

EDMONTON: (780) 455-3870
Toll Free: (888)-891-1008
CALGARY: (403) 236-5661

MONCTON: (506) 859-7277
Toll Free: (877) 816-3473
MISSISSAUGA: (905) 565-1385

www.nationalfire.com

Fig. 1601-1642
1-5/8" X 2-7/16" X 12Ga.
CHANNEL




Figure Number		Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
10 ft.	20 ft.						
1601	1602	Material: Low carbon steel Ordering: Specify figure number, finish and number of feet	D12	N/A	N/A	N/A	AS150
1601A	1602A						
1611	1612						
1611A	1612A						
1621	1622	Available in aluminum and stainless steel. Price on request. To order aluminum add suffix AL to figure number. To order stainless steel specify 304 or 316 and add suffix SS to figure number.					
1621A	1622A						
1631	1632						
1641	1642						

Fig. 2001-2016
IRON PIPE CLAMP




Figure Number	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
2001	Finish: Electro-galvanized Material: Low carbon steel Ordering: Specify pipe size and figure #	RIGD	RIGD	N/A	910R	AS110
2002						
2003						
2004						
2005	Available in aluminum and stainless steel. Price on request. To order aluminum add suffix AL to figure number. To order stainless steel specify 304 or 316 and add suffix SS to figure number.					
2006						
2007						
2008						
2009						
2010						
2011						
2012						
2013						
2014						
2015						
2016						



National Fire
Equipment Ltd.

TORONTO: (905) 761-6355
Toll Free: (800) 267-8508
OTTAWA: (613) 723-6071

VANCOUVER: (604) 420-1131
Toll Free: (800)-667-2138
BURNABY: (604)-299-4498

EDMONTON: (780) 455-3870
Toll Free: (888)-891-1008
CALGARY: (403) 236-5661

MONCTON: (506) 859-7277
Toll Free: (877) 816-3473
MISSISSAUGA: (905) 565-1385

www.nationalfire.com

Fig. 3001-3001
STRUT NUT
WITHOUT SPRING




Figure Number	Thread Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3001	#8-32	Finish: Electro-galvanized	NUT	NUT	N/A	900NS	AS NS
3002	#10-24	Material: Low carbon steel					
3003	#10-32	Ordering: Specify thread size and figure number					
3004*	1/4	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request. *Available in aluminum To order aluminum add suffix AL to figure number. Price on request.					
3005	5/16						
3006*	3/8						
3007	7/16						
3008*	1/2						
3009	5/8						
3010	3/4						
3011	7/8						

Fig. 3101-3111
STRUT NUT
WITH SPRING




Figure Number	Thread Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3101	#8-32	Finish: Electro-galvanized	SPRA	SPRA	N/A	900RG	AS RS
3102	#10-24	Material: Low carbon steel					
3103	#10-32	Ordering: Specify thread size and figure number					
3104*	1/4	Available in stainless steel. To order, specify 304 or 316 and add suffix SS to figure number. Price on request. *Available in aluminum To order aluminum add suffix AL to figure number .Price on request.					
3105	5/16						
3106*	3/8						
3107	7/16						
3108*	1/2						
3109	5/8						
3110	3/4						
3111	7/8						

Fig. 3404-3408
SQUEEZE NUT




Figure Number	Thread Size	Regularly Furnished	ERICO	TOLCO	AFCON	Taylor	ANVIL
3404	1/4	Finish: Electro-galvanized	N/A	N/A	N/A	902W	N/A
3406	3/8	Material: Low carbon steel					
3408	1/2	Ordering: Specify thread size and figure number					
		Note: Fits all profiles of strut					



National Fire
Equipment Ltd.

TORONTO: (905) 761-6355
Toll Free: (800) 267-8508

OTTAWA: (613) 723-6071

VANCOUVER: (604) 420-1131
Toll Free: (800)-667-2138

BURNABY: (604)-299-4498

EDMONTON: (780) 455-3870
Toll Free: (888)-891-1008

CALGARY: (403) 236-5661

MONCTON: (506) 859-7277
Toll Free: (877) 816-3473

MISSISSAUGA: (905) 565-1385

www.nationalfire.com