


PUMPKIN TANK™

OPEN TOP WATER RESERVOIR FOR
WILDLAND/URBAN INTERFACE FIREFIGHTING



 National Fire
Equipment Ltd.

This rugged, lightweight, multi-purpose tank shines in every arena. Whether it's used for ground fire-fighting, for aerial operations or as a reservoir/relay tank, the self-supporting Pumpkin Tank gets the job done. Built with knowledge of what works in the field, the water in this tank is deep for full Bambi Bucket dips every time. When access to natural water supply is limited, the Pumpkin Tank can step in – whatever the application.

FEATURES

- Extra large, open top for easy helicopter bucket filling
- Unique flotation collar design, no inflation required
- Self-supporting with foam collar that resists any 'sinking'
- Compact and simple to use, no frame or parts to assemble
- Rugged industrial fabric that is mold and mildew resistant
- Multi-point tie down system for protection from rotor wash
- Easy discharge through a standard 3" NPT outlet
- Models/sizes available to suit all helicopter buckets
- Portable, compact size can be used in remote areas
- Frameless construction provides minimal time for setup by one or two people
- Flotation collar hugs the water surface ensuring no overflow

GROUND APPLICATION

In ground operations, firefighters can use the Pumpkin Tank as an emergency water reservoir or as a readily available water source during prescribed burning. The self-supporting Pumpkin Tank may be easily filled from the nearest water source and, in remote areas, the Pumpkin Tank can be filled by pumping water from natural sources such as streams and lakes or via helicopters using Bambi Buckets.

AERIAL APPLICATION

When access to water supply is otherwise limited, pilots, who are heli-bucketing, can quickly fill their buckets from a Pumpkin Tank and proceed to the fire site. The Pumpkin Tank can be replenished with water while the pilot ferries between the water source and the fire site, thereby maximizing valuable helicopter time.

OTHER APPLICATIONS

- Water relay tank
- Long or short term water storage
- Protection of urban interface exposures


Please note: If used exclusively for mixing foam and/or retardants, use the Fireflex Hazmat tank.



Pumpkin Tank is a product of SEI Industries Ltd. and is licenced for sale through National Fire Equipment Ltd.



PUMPKIN TANK



OPTIONS

- Ball valves/fittings
- Ground pads
- Transport bags
- Repair kits
- Secondary internal impact pads available for large size tanks
- Drainage outlets: 1" to 6" NPT

PUMPKIN TANK SIZES FOR BAMBI BUCKET

The Pumpkin Tank can be used as a dip tank for helicopters equipped with the aerial firefighting Bambi Bucket. The following chart shows the recommended tank sizes for different models of the Bambi Bucket.

BAMBI BUCKET MODEL #	EMPTY BUCKET HEIGHT		RECOMMENDED PUMPKIN TANK		
			TANK MODEL #	FULL HEIGHT	
	IN	CM			IN
BB2024	39	99	FFTF2530	48	122
BB2732	43	109	FFTF4048	60	152
BB3542	52	132	FFTF5060	68	173
BB4453	52	132	FFTF5060	68	173

PUMPKIN TANK SPECIFICATIONS


MODEL #	CAPACITY		COLLAPSIBLE DIMENSIONS		WEIGHT		OUTER FILLED DIAMETER		INNER COLLAR DIAMETER		FILLED HEIGHT		3" NPT OUTLET
	USG	L	IN	CM	LB	KG	IN	CM	IN	CM	IN	CM	#
FFTF0506	600	2275	15 x 24 x 33	38 x 61 x 84	38	17	84	210	54	140	38	97	1
FFTF1012	1200	4546	15 x 24 x 38	38 x 61 x 96	55	25	124	315	60	150	40	100	1
FFTF1518	1800	6800	15 x 24 x 40	38 x 61 x 102	69	31	133	340	84	210	48	120	1
FFTF2530	3000	11365	20 x 29 x 40	51 x 74 x 102	92	42	164	420	108	270	48	120	1
FFTF4048	4800	18200	20 x 29 x 48	51 x 74 x 122	106	48	195	500	131	330	60	150	1
FFTF5060	6000	22700	22 x 30 x 48	56 x 76 x 122	123	56	209	530	144	370	60	150	1
FFTF80100	10000	36320	32 x 32 x 54	81 x 81 x 137	250	115	236	600	144	370	80	200	2
FFTF120144	14400	54500	38 x 24 x 62	95 x 61 x 158	300	136	260	660	168	427	93	240	2



LOW PROFILE TANK™

OPEN TOP LOW PROFILE WATER TANK FOR
STRUCTURAL FIREFIGHTING



 National Fire
Equipment Ltd.

Fully self-supporting with an open top design and a low collar for easy filling, the Fireflex Low Profile (LP) Tank is perfect for structural firefighting in rural areas or in any situation where water access is an issue.

Fireflex LP Tanks enable fire departments to use isolated water supplies and still obtain sufficient water for effective firefighting. Lighter and safer than traditional framed tanks, the collapsible LP Tank can be easily deployed by one person and quickly filled from a water tender in just minutes. With its versatility, the LP Tank can be used in remote site locations or act as an water reservoir that can be placed close to the fireline.

FEATURES

- No parts to assemble and can be deployed by one person
- Frameless construction from durable, lightweight, high strength fabric is mold and mildew resistant.
- Foam-filled collar eliminates the need for inflation and will rise automatically when filling
- Multi-point tie down system for secure grounding
- Fast, easy filling from water tenders
- Lifting strap inside the center of the tank allows for easy cleaning and drying
- Fast discharge through a standard 3" NPT outlet
- Low maintenance, easy to clean and repair
- Compact for easy storage, fits inside a standard vehicle for transport, provides long-term water storage

ADD-ONS AND ACCESSORIES

- Ball valves/fittings
- Ground pads
- Transport bags
- Repair kits
- Secondary internal impact pads available for large size tanks
- Drainage outlets: 1" to 6" NPT

OTHER APPLICATIONS

- Water relay tank
- Long or short term water storage
- Protection of urban interface exposures

Please note: If using your tank exclusively for mixing foam and/or retardants, please use the Fireflex Hazmat tank.



The Low-Profile Tank is a product of SEI Industries Ltd. and is licenced for sale through National Fire Equipment Ltd.

National Fire Equipment Ltd., 7972 Winston Street, Burnaby, BC, V5A 2H5
P: (604) 420-1131 F: (604) 420-2103 TF: (800) 667-2138
www.nationalfire.com

LP TANK



The lightweight LP Tank is compact and easy to transport in a standard vehicle.



Multi-point tie down system for secure grounding during operations.



The tank can be easily folded by just one person.



The LP Tank is perfect for structural firefighting.

LP TANK SPECIFICATIONS

MODEL #	CAPACITY		COLLAPSIBLE DIMENSION		WEIGHT		OUTER FILLED DIAMETER		INNER COLLAR DIAMETER		FILLED HEIGHT		3" NPT OUTLET
	USG	L	IN	CM	LB	KG	IN	CM	IN	CM	IN	CM	#
FFTF1012LP	1200	4546	15 x 24 x 40	38 x 61 x 100	68	31	128	325	82	210	34	86	1
FFTF1518LP	1800	6800	15 x 24 x 44	38 x 61 x 112	75	34	154	390	102	260	36	91	1
FFTF2024LP	2400	9100	16 x 30 x 50	41 x 76 x 127	85	38	180	460	128	325	34	86	1
FFTF2530LP	3000	11340	18 x 29 x 48	46 x 74 x 122	100	45	188	480	132	335	38	96	1
FFTF3036LP	3600	13600	20 x 29 x 48	51 x 74 x 122	115	52	189	480	144	366	38	96	1
FFTF4048LP	4800	18200	26 x 32 x 48	66 x 81 x 122	150	68	224	569	164	416	42	107	1